

Belimo Energy Valve™





Energy savings you can see

The Belimo Energy Valve is an IoT cloud-connected pressure independent valve that monitors coil performance and energy consumption while maintaining Delta T. It also has an exclusive glycol monitoring feature providing accurate, repeatable flow measurement, and ensuring glycol content meets design requirements.



Cloud Optimization

Monitors and enhances energy usage delivering optimal system performance. System analytics are also provided to show historical performance.



Delta T Management

The Belimo Delta T Manager algorithm reduces pumping and chiller/boiler operating costs by increasing plant efficiency and maintaining design Delta T.




Energy Monitoring

An integrated energy meter provides accurate coil performance data. The data is used to verify system performance during commissioning and acts as a baseline. This feature helps achieve LEED points through Energy and Atmosphere within credits 1 and 5.

"One thing that impressed us was having such intelligence right on the valve actuator. You can characterize a coil's performance with just a couple of pieces of data and with that information you can observe the degradation of coils and refocus your maintenance efforts accordingly."

Peter Cooper, Manager of Sustainable Engineering and Utility Planning, Massachusetts Institute of Technology



Transparent energy monitoring

The Energy Valve has a patented Power Control and Belimo Delta T Manager™ logic built in to monitor coil performance and optimize the available energy of the coil by maintaining Delta T. In addition to the standard analog signal and feedback wiring, it communicates its data to the Building Management System (BMS) via BACnet MS/TP or BACnet IP as well as Modbus RTU and Modbus TCP/IP. The built-in web server enables clear visualization of the valves' operation in real time. Performance data is stored for 13 months on board the valve. Cloud data provides lifetime data access.



FEATURES

Delta T Optimization and Flow Setpoints Cloud analytics provide recommended Delta T and flow setpoints which can be updated remotely or automatically to save time and improve efficiency.

- Performance Reporting

Key performance indicators are graphically illustrated showing current and historical performance data of flow rates, energy usage, Delta T, and other points of interest.

- Energy Flow Map

Charts the load transparency of Energy Valves to quickly visualize where the energy is going with the ability to improve system optimization.

Lifetime Data Access

Secure, single consolidated repository that stores and provides system data access for future optimization.

- Online Tech Support

Belimo's industry leading technical support team available to assist you remotely.

- Software Updates

Latest software and security updates automatically provided for maximum productivity and reliability.

- Extended Warranty

5-year warranty is increased to 7-year with Belimo cloud connection.







One solution, so many benefits

Patented power control and Delta T Manager

logic built in monitor coil performance and optimize the available energy of the coil by maintaining the Delta T.



Dynamic coil performance

illustrates the operation of the coil in real time, accurately providing transparency in power degradation and other operational issues. Delta T setpoint suggestion is offered; eliminates the need to export data to external analysis tools.



Enhanced communication

enables expanded system integration and BMS control with the addition of Modbus RTU and TCP/IP. Other integration protocols include BACnet MSTP and BACnet IP, Belimo MP-Bus, and one analog feedback signal for valve flow, power, temperature or position.



Glycol monitoring

utilizes an embedded temperature sensor, ultrasonic technology, and advanced logic algorithms to monitor the percentage of glycol content in the system. Glycol monitoring provides you with the knowledge to optimize heat transfer and pumping efficiency, while reducing operating costs and the risk of freezing.

















Integrated energy meter

measures and analyzes historical energy data for benchmarking, optimization, and reporting.



Temperature sensors

with quality RTD's measure supply and return media for precise energy management.



Ultrasonic flow meter

durable design, no moving parts and wet calibration ensure true flow, accuracy and repeatability which can be shared with the DDC system.



Set-up wizard

offers easy configuration, valve operation, and programming options.



Save and reload

settings from one valve configuration and load them into another valve for fast and accurate setup.



Commissioning report

provides confirmation valves are correctly configured.

See where building energy is used

The Energy Flow Map is an online tool for Energy Valve customers who are connected to the Belimo Cloud. The Energy Flow Map allows you to chart all Energy Valves in the system by location. The user can quickly visualize where the energy is going and has the ability to improve system performance in areas operating outside of design criteria to ensure comfort is achieved and maintained while saving energy.

Analysis of Operation

A clear graphical representation for all Energy Valves connected to the Belimo Cloud along with 11 selectable parameters such as flow, DDC set point, valve position Delta T, and energy consumption, just to name a few. This allows you to fully understand the load distribution and determine what to target for improved optimization.

Custom Load Profiles


Provides you the ability to maintain focus on specific areas of interest to ensure performance and improve energy optimization.

KPI Dashboard

Consolidates all the Energy Valves from one or multiple buildings into an information management tool that visually tracks, analyzes and displays critical key performance indicators (KPIs), metrics and fundamental data points to monitor the total energy consumption and operation. The date range can be selectable by day, week, month, or year to allow for analysis of specific areas of a building or coil.

FEATURES

- Building floor plan allows you to assign the Energy Valves to the appropriate area.
- Analysis of operation graphical interface with 11 selectable parameters.
- Ability to display custom load profiles providing focus on specific areas.
- Quarterly performance report graphically illustrating current and historical data of flow rates, energy usage, Delta T, and overview of warnings or errors in operation that could affect efficiency.



Most capable valve in the HVAC industry

Features	Typical PI Valve*	Energy Valve	
IoT Device		→	
Cloud Analytics		√	
Glycol Monitoring		<u> </u>	
Commissioning Report		→	
True Flow		→	
Dynamic Balancing	√		
Energy Meter		√	
Power Control		√	
Delta T Manager		√	
Live Data and Coil History		√	
CCV Technology**		√	
Leakage	ANSI Class IV	0%	
High Close-off		√	
Low Minimum Pressure Drop		√	
Field Configuration	√	√	
Bus Communication		BACnet MS/TP or IP, Modbus RTU or TCP/IP and MP Bus	
Password Configuration		→	
Set-Up Wizard		<u> </u>	
5-Year Warranty	√	→	
7-Year Warranty with Cloud Access		✓	

^{*}Typical pressure independent valves based on globe valve technology.

Product Range

Valve			Actuator Type	
End Fittings	Design Flow Range GPM	Nominal Valve Size	Non Fail-Safe	Electronic Fail-Safe
NPT	1.65 - 100	ν ₂ "- 2"	•	•
Flanged (ANSI 125)	38 - 713	2½" - 6"	•	•
Flanged (ANSI 250)	38 - 713	2½" - 6"	•	

BACnet is a registered trademark of ASHRAE. ASHRAE does not endorse or test products for compliance with ASHRAE standards. Compliance of listed products to requirements of ASHRAE Standard 135 is the responsibility of the BACnet International. BTL is a registered trademark of the BACnet International.

^{**}Not available on ANSI 250 models.

Awards and accolades



New Energy Valve Technology at Charles Hayden Library Reaps the Rewards of Higher Delta T!

"One thing that impressed us was having such intelligence right on the valve actuator," said Peter Cooper, Manager of Sustainable Engineering and Utility Planning at MIT, Hayden Library. "You can characterize a coil's performance with just a couple of pieces of data and with that information you can observe the degradation of coils and refocus your maintenance efforts accordingly."



Belimo Energy Valve™ Cures Medical University's Low Delta T!

"The University started seeing a 10-degree Delta T," said Scott Czubkowski, PE, Director of Engineering at Kerney Associates. "It went from a 7-degree to a 10-degree Delta T within a day." But that was not all. Kerney and Associates found that within one hour, the system went from using 600 gallons of water to 100 gallons per minute.



Red Wing School District will Achieve Payback in Under Two Years.

"Savings are always difficult to quantify for new buildings; however, at River Bluff, we are pumping approximately 50% less water than that of a similar sized building in our district," Kevin Johnson, Director of Building and Grounds and Technology Director, Red Wing School District said. "This equates to substantial pump cost savings over the long-term and represents an improvement over traditional valves, which often deliver far more GPM than needed to maintain temperature setpoints."

Awards

2018

EnergieGenie Award

2017

- AHR Expo: Innovation Award Finalist

2016

- ACME: Innovation Award
- Poznan International Trade Fair: Gold Medal
- Control Trends: Energy Savings
 Solution Product of the Year

2015

- Energy Show: Best Energy Efficient
 Product of the Year
- AREX: Award of Excellence
- CSA: Innovation in Commissioning
- Deutscher Rechenzentrumspreis:German Data Centre Prize

2014

- Control Trends: Energy Saving Product of the Year
- AHR EXPO: Innovation Award
- Shanghai Energy Conference: **Golden Key Award**
- Poznan International Trade Fair:
 Gold Medal

2013

- Building Efficiency Congress Fair:
 - **Building Efficiency Award**
- Interclima Show: Silver Trophy Award
- BCIA: Technical Innovation of the Year Products
- Trade Fair: Building Efficiency
- Innovation Competition: Intelligent
 Energy Management

2012

- Control Trends: Best Commercial
 Product of the Year
- HVR Awards: Air Conditioning Product of the Year

Belimo Americas

USA, Latin America, and the Caribbean: www.belimo.us

Canada: www.belimo.ca Brazil: www.belimo.com.br

Belimo Worldwide: www.belimo.com

